
**A History of British Mollusca, and Their Shells, by E.
Forbes and S. Hanley**


Forbes Edward


Title: A History of British Mollusca, and Their Shells, by E. Forbes and S. Hanley

Author: Forbes Edward

This is an exact replica of a book. The book reprint was manually improved by a team of professionals, as opposed to automatic/OCR processes used by some companies. However, the book may still have imperfections such as missing pages, poor pictures, errant marks, etc. that were a part of the original text. We appreciate your understanding of the imperfections which can not be improved, and hope you will enjoy reading this book.







1
2
3
4

5

6

7

A
HISTORY
OF
BRITISH MOLLUSCA,
AND THEIR SHELLS.



A
HISTORY
OF
BRITISH MOLLUSCA,
AND THEIR SHELLS.

BY
PROFESSOR EDWARD FORBES, F.R.S.,
OF KING'S COLLEGE, LONDON;
AND
SYLVANUS HANLEY, B.A., F.L.S.,
OF WADHAM COLLEGE, OXFORD.

VOLUME II.
INCLUDING THE REMAINING FAMILIES OF BIVALVES, THE
PTEROPODA, AND THE GASTEROPODA AS FAR AS
IANTHINIDÆ.

LONDON:
JOHN VAN VOORST, PATERNOSTER ROW.

M.DCCC.LIII.

189. h. 66.



LONDON :
Printed by SAMUEL BENTLEY and Co.
Bangor House, Shoe Lane.

CONTENTS OF THE SECOND VOLUME,

EXHIBITING THE FINAL CORRECTIONS AND ADDITIONS.

Species of questionable indigenouſness are printed in italics; ſpurious and unrecognized ſpecies in nonpareil. The addition of (A. i.) to a ſpecies refers the reader to the firſt Appendix, or Supplementary Notes on the Acephala, in the Second Volume, (A. ii.) to the Appendix at the end of the work.

| | PAGE | | PAGE |
|---------------------------------------|------|--|------|
| <i>ACEPHALA LAMELLIBRAN-</i> | | <i>MONTACUTA</i> | 71 |
| <i>CHIATA</i> continued. | | <i>M. ferruginosa</i> (A. ii.) | 72 |
| <i>CARDIADÆ</i> | 1 | <i>M. bidentata</i> | 75 |
| <i>CARDIUM</i> | 2 | <i>M. substriata</i> | 77 |
| <i>C. aculeatum</i> | 4 | <i>TURTONIA</i> | 80 |
| <i>C. echinatum</i> | 7 | <i>T. minuta</i> (A. i.) | 81 |
| <i>C. rusticum</i> | 11 | <i>KELLIA</i> | 84 |
| <i>C. edule</i> | 15 | <i>K. suborbicularis</i> | 87 |
| <i>C. nodosum</i> | 22 | <i>K. rubra</i> | 94 |
| <i>C. fasciatum</i> | 25 | <i>Tellimya lactea</i> | 89 |
| <i>C. pygmaeum</i> (A. ii.) | 29 | <i>Tellimya tenuis</i> | 89 |
| <i>C. Suecicum</i> | 33 | <i>LEPTON</i> | 97 |
| <i>C. Norvegicum</i> | 35 | <i>L. nitidum</i> (as <i>Kellia nitida</i>) | 92 |
| <i>C. Groenlandicum</i> | 39 | var. <i>convexum</i> (A. ii.) | 102 |
| <i>C. serratum</i> | 39 | <i>L. squamosum</i> | 98 |
| <i>C. medium</i> | 39 | <i>L. Clarkiæ</i> (A. ii.) | . |
| <i>C. muricatum</i> | 40 | <i>GALEOMMA</i> | 104 |
| <i>LUCINIDÆ</i> | 41 | <i>G. Turtoni</i> | 105 |
| <i>LUCINA</i> (A. i.) | 43 | <i>CYCLADIDÆ</i> | 110 |
| <i>L. borealis</i> | 46 | <i>CYCLAS</i> | 110 |
| <i>L. spinifera</i> | 49 | <i>C. rivicola</i> | 111 |
| <i>L. divaricata</i> | 52 | <i>C. cornea</i> | 113 |
| <i>L. flexuosa</i> | 54 | <i>C. caliculata</i> | 115 |
| <i>L. leucoma</i> | 57 | <i>C. lacustris</i> | 118 |
| <i>L. ferruginosa</i> | 60 | <i>PISIDIUM</i> | 120 |
| <i>L. orbicularis</i> | 62 | <i>P. obtusale</i> | 120 |
| <i>L. tigrina</i> | 64 | <i>P. pusillum</i> | 123 |
| <i>DIPLODONTA</i> | 64 | <i>P. cinereum</i> | 125 |
| <i>D. rotundata</i> | 66 | <i>P. nitidum</i> | 126 |
| <i>KELLIADÆ</i> | 69 | <i>P. pulchellum</i> | 128 |

| | PAGE | | PAGE |
|---|------|--|------|
| PISIDIUM continued. | | LEDA continued. | |
| <i>P. Henslowianum</i> | 131 | <i>L. Montagui</i> | 232 |
| <i>P. amnicum</i> | 133 | <i>L. oblonga</i> | 233 |
| UNIONIDÆ | 136 | <i>L. truncata</i> | 233 |
| UNIO | 138 | ARCA | 233 |
| <i>U. tumidus</i> | 140 | <i>A. tetragona</i> | 234 |
| <i>U. pictorum</i> | 142 | <i>A. lactea</i> | 238 |
| <i>U. margaritifera</i> | 146 | <i>A. raridentata</i> (A. ii.) | 241 |
| <i>U. Batavus</i> | 154 | <i>A. barbata</i> | 243 |
| ANODONTA | 155 | <i>A. Nose</i> | 234 |
| <i>A. cygnea</i> | 155 | PLECTUNCULUS | 244 |
| MYTILIDÆ | 162 | <i>P. glycimeris</i> | 245 |
| DREISSENA | 163 | AVICULACEÆ | 250 |
| <i>D. polymorpha</i> | 165 | AVICULA | 251 |
| MYTILUS | 168 | <i>A. Tarentina</i> | 251 |
| <i>M. edulis</i> | 170 | PINNA | 254 |
| <i>M. bidens</i> | 179 | <i>P. pectinata</i> | 255 |
| <i>M. crenatus</i> | 180 | <i>P. carnea</i> | 259 |
| <i>M. Africanus</i> | 181 | <i>Perna alata</i> | 260 |
| MODIOLA | 181 | OSTREADÆ | 261 |
| <i>M. Modiolus</i> | 182 | LIMA | 262 |
| <i>M. phaseolina</i> (A. ii.) | 186 | <i>L. subauriculata</i> | 263 |
| <i>M. tulipa</i> | 187 | <i>L. Loscombii</i> | 265 |
| <i>M. barbata</i> | 190 | <i>L. hians</i> | 268 |
| <i>M. Ballii</i> | 192 | Pecten | 272 |
| CRENELLA | 194 | <i>P. varius</i> | 273 |
| <i>C. discors</i> | 195 | <i>P. niveus</i> | 276 |
| <i>C. marmorata</i> | 198 | <i>P. pusio</i> | 278 |
| <i>C. nigra</i> | 202 | <i>P. striatus</i> | 281 |
| <i>C. costulata</i> | 205 | <i>P. tigrinus</i> | 285 |
| <i>C. rhombea</i> | 208 | <i>P. Danicus</i> | 288 |
| <i>C. decussata</i> | 210 | <i>P. glaber</i> | 292 |
| <i>C. faba</i> (A. ii.) | 212 | <i>P. similis</i> | 293 |
| <i>Lithodomus aristatus</i> | 213 | <i>P. maximus</i> | 296 |
| <i>L. fuscus</i> | 213 | <i>P. opercularis</i> | 299 |
| ARCADÆ | 214 | <i>P. Islandicus</i> | 305 |
| NUCULA | 214 | <i>P. Jacobæus</i> | 305 |
| <i>N. nucleus</i> | 215 | OSTREA | 306 |
| <i>N. nitida</i> | 218 | <i>O. edulis</i> | 307 |
| <i>N. radiata</i> | 220 | <i>O. cristagalli</i> | 321 |
| <i>N. decussata</i> | 221 | <i>O. frons</i> | 321 |
| <i>N. tenuis</i> | 223 | ANOMIA | 322 |
| <i>N. argentea</i> | 218 | <i>A. ehippium</i> | 325 |
| LEDA | 226 | <i>A. aculeata</i> | 332 |
| <i>L. caudata</i> | 226 | <i>A. Patelliformis</i> | 334 |
| <i>L. pygmaea</i> | 230 | <i>A. striata</i> | 336 |

TABLE OF CONTENTS.

vii

| PAGE | | PAGE |
|------|---|------|
| | <i>ACEPHALA PALLIOBRAN-</i> | |
| | <i>CHIATA, OR BRACHIO-</i> | |
| | <i>PODA</i> | 339 |
| | TEREBRATULIDÆ | 343 |
| | <i>HYPOTHYRIS</i> | 344 |
| | <i>H. psittacea</i> | 346 |
| | <i>TEREBRATULA</i> | 349 |
| | <i>T. caput serpentis</i> | 353 |
| | <i>T. cranium</i> | 357 |
| | <i>Anomia terebratula</i> | 358 |
| | ARGIOPE (AS MEGATHYRIS) | 359 |
| | <i>A. (as M.) cistellula (A. ii.)</i> | 361 |
| | CRANIADÆ | 364 |
| | CRANIA | 365 |
| | <i>C. anomala</i> | 366 |
| | <i>Orbicula striata</i> | 368 |
| | SUPPLEMENTARY NOTES ON | |
| | ACEPHALA | 369 |
| | TUNICATA | 369 |
| | <i>Sidnum turbinatum</i> | 369 |
| | <i>Botryllus rubens</i> | 370 |
| | “ <i>virescens</i> | 370 |
| | “ <i>castaneus</i> | 371 |
| | <i>Botrylloides radiata</i> | 371 |
| | “ <i>ramulosa</i> | 372 |
| | <i>Ascidia sordida</i> | 372 |
| | “ <i>albida</i> | 373 |
| | “ <i>depressa</i> | 373 |
| | “ <i>elliptica</i> | 374 |
| | “ <i>pellucida</i> | 374 |
| | <i>Molgula arenosa</i> | 374 |
| | LAMELLIBRANCHIATA | 375 |
| | <i>Cynthia coriacea</i> | 375 |
| | <i>Cyprina Islandica</i> | 375 |
| | <i>Turtonia minuta</i> | 375 |
| | <i>Xylophaga dorsalis</i> | 376 |
| | <i>Clausina</i> | 376 |
| | PTEROPODA | |
| | HYALRA | 377 |
| | <i>H. trispinosa</i> | 379 |
| | <i>H. trispinosa</i> | 380 |
| | SPIRALIS | 382 |
| | <i>S. Flemingii (A. ii.)</i> | 384 |
| | SPIRALIS continued | |
| | <i>S. M'Andrei</i> | 385 |
| | <i>S. Jeffreyi</i> | 386 |
| | GASTEROPODA PROSO- | |
| | BRANCHIATA | 387 |
| | CHITONIDÆ | 389 |
| | CHITON | 391 |
| | <i>C. fascicularis</i> | 393 |
| | <i>C. discrepans</i> | 396 |
| | <i>C. Hanleyi (A. ii.)</i> | 398 |
| | <i>C. ruber</i> | 399 |
| | <i>C. cinereus</i> | 402 |
| | <i>C. albus (A. ii.)</i> | 405 |
| | <i>C. asellus</i> | 407 |
| | <i>C. cancellatus</i> | 410 |
| | <i>C. lævis</i> | 411 |
| | <i>C. marmoreus</i> | 414 |
| | <i>C. punctatus</i> | 417 |
| | PATELLIDÆ | 418 |
| | PATELLA | 420 |
| | <i>P. vulgata</i> | 421 |
| | <i>P. athletica</i> | 425 |
| | <i>P. pellucida</i> | 429 |
| | <i>P. intorta</i> | 433 |
| | ACMÆA | 433 |
| | <i>A. testudinalis</i> | 434 |
| | <i>A. virginea</i> | 437 |
| | PILIDIUM | 440 |
| | <i>P. fulvum</i> | 441 |
| | PROFILIDIUM | 443 |
| | <i>P. Ancyloide (A. ii.)</i> | 443 |
| | DENTIALIADÆ | 446 |
| | DENTALIUM | 448 |
| | <i>D. entalis</i> | 449 |
| | <i>D. Tarentinum</i> | 451 |
| | <i>D. semistriatum</i> | 454 |
| | <i>D. octangulatum</i> | 455 |
| | <i>D. variabile</i> | 456 |
| | CALYPTRÆIDÆ | 457 |
| | PILROPSIS | 457 |
| | <i>P. Hungaricus</i> | 459 |
| | <i>P. militaris</i> | 461 |
| | <i>P. antiquata</i> | 462 |
| | CALYPTRÆA | 463 |
| | <i>C. Sinensis</i> | 463 |