
**A Catalogue of the Models of Diseases of the Skin in the
Museum of Guy's Hospital**

Habershon Samuel Osborne

Title: A Catalogue of the Models of Diseases of the Skin in the Museum of Guy's Hospital

Author: Habershon Samuel Osborne

This is an exact replica of a book. The book reprint was manually improved by a team of professionals, as opposed to automatic/OCR processes used by some companies. However, the book may still have imperfections such as missing pages, poor pictures, errant marks, etc. that were a part of the original text. We appreciate your understanding of the imperfections which can not be improved, and hope you will enjoy reading this book.



MODELS

OF

DISEASES OF THE SKIN.

A CATALOGUE
OF THE
MODELS
OF
DISEASES OF THE SKIN
IN THE
MUSEUM OF GUY'S HOSPITAL,

ARRANGED ACCORDING TO THE
CLASSIFICATION OF WILLAN AND BATEMAN.



BY
S. O. HABERSHON, M.D., LOND.

LICENTIATE OF THE ROYAL COLLEGE OF PHYSICIANS, ASSISTANT-PHYSICIAN TO GUY'S
HOSPITAL, CURATOR OF THE MUSEUM, ETC.

LONDON:
JOHN CHURCHILL, NEW BURLINGTON STREET.
MDCCCLIV.

157. b. 57.





MODELS

OF

DISEASES OF THE SKIN.

EXANTHEMATA.**RUBEOLA**—Vulgaris, 58, 59, 60.

Nigra.

SCARLATINA—Simplex, 62, 63, 64.

Anginosa.

Maligna.

URTICARIA—Febrilis, 68.Evanida, 66, 67, 67^s.

Perstans.

Conferta, 69, 70.

Subcutanea.

Tuberosa, 69, 70.

ROSEOLA—Estiva.

Autumnalis.

Annulata, 71, 72.

Infantilis.

Variolosa.

Vaccina, 73.

Miliaris.

ERYTHEMA—Fugax.

Læve.

Marginatum.

Papulatum.

Tuberculatum, 74.

Nodosum, 74, 75, 76.

Intertrigo.

ERYSIPELAS—Phlegmonodes, 77, 78, 79.

Œdematodes.

Gangrenosum.

Erraticum.

FEBRIS—Typhus, 80, 81, 82.

Typhoid, 83.

PURPURA.**PURPURA**—Simplex, 84, 85.

Hæmorrhagica, 86.

Urticans, 85^{lo}.

Senilis, 87.

SCORBUTUS.**SCORBUTUS**, 88, 89.**BULLÆ.****POMPHOLYX**—Benignus, 90, 91.

Diutinus 92, 93, 94, 95.

Solitarius.

Syphiliticus, 286^s.**PEMPHIGUS**—96, 97.

PUSTULÆ.

IMPETIGO—Figurata, 98.

Sparsa, 99, 100.

Erysipelatodes.

Scabida, 101, 102, 103, 104.

Rodens.

(Diseased nails after impetigo,) 105.

PORRIGO*—Furfurans, 106, 107.

Scutulata, 108.

Favosa, 109, 109^s, 115?

Lupinosa, 110, 111, 112, 113, 114.

ECTHYMA—Vulgare, 116; Impetiginous? 123.

Infantile.

Luridum, 117.

Cacheticum, 118, 119, 120, 121, 122, (with Furunculus,) 121^s.

Syphiliticum, 271, 271^{so}, 272, 273.

VARIOLA—Discreta, 124, 125, 126, 127, 128.

Confluens, 129, 130, 131, 132.

(After vaccination), 133.

SCABIES†—Papuliformis, 134, 135.

Lymphatica, 136, 138.

Purulenta, 139, 140, 141, 142, 143, 144, 145, 146.

Cachectica, 141, 144, 145, 146.

(With Eczema,) 148.

(With Ecthyma and Syphilitic Lichen,) 147.

VESICULÆ.

VARICELLA—Lentiformis, 149.

Coniformis, 149.

Globularis, 150, 151.

(With Vaccinia,) 149.

VACCINIA—152, 153, 154, 155, 156, 157.

(Pustulation with Erythema,) 158, 159, 160.

HERPES—Phlyctenodes, 161, 162, 163.

Zoster, 164, 165, 165^s.

Circinatus, 166, 167, 168, 169, 170? 171?

Iris, 171? 172.

Labialis, 163.

Preputialis.

RUPIA—Simplex, 173, 174, 175^{so}.

Prominens, 176, 177, 178.

Escharotica, 3, (with Strophulus.)

Cachectica, 179, 180? (with Ecthyma,) 271^s.

(Ulceration,) 181.

Syphilitica, 274.

* Several of the forms of porrigo are not truly pustular, but are connected with microscopical vegetable growth.

† Generally vesicular, arising from the presence of an acarus.